



---

*CORRIGENDUM - 7*

---

## **TABLE OF CONTENTS**

- 
1. ANNEXURE 7 - Commercial Bid Format (Revised)
  2. Revised Terms & Conditions (Forming Part of Original RFP)
  3. UIIC's Revised responses to pre-bid queries
  4. Extension of Bid Submission Date (To 07.12.2020)
-

---

**1. ANNEXURE 7 -  
COMMERCIAL BID FORMAT  
(Revised)**

---



**ANNEXURE 7 - COMMERCIAL BID FORMAT [ALL AMOUNTS SHOULD BE IN INR] (Revised)**  
**[To be included in Cover 'C' - Commercial Bid]**

A. Product : Hardware / Software / License / Services							AMC / ATS					TOTAL
S. No.	*Description	OEM/ SI	HW / SW / Lic / Service	Qty	Unit Rate	Total	Year-1	Year-2	Year-3	Year-4	Year-5	
1	PIM											
2	SIEM											
3	DDoS											
4	WAF											
5	DAM											
6	AD – Cleanup Activity		Service	2								
7	Hardware Cost of Next Generation Firewall			2								
8	Any other item, if any											
9	Any other item, if any											
10	Any other item, if any											
<b>TOTAL (A)</b>												

**\*Note:** The L1 bidder should submit the bills separately for above mentioned categories. UIIC has the right to ask the detailed breakup (Hardware, Software, OS, License, Services etc.) for any of the above mentioned product/services.

B. Active Directory												TOTAL
S. No.	Description	OEM	HW/SW/Lic	Qty	Unit Rate	Total	Year-1	Year-2	Year-3	Year-4	Year-5	
1	Server		HW									
2	Windows 2019		LIC									
3	CAL		LIC*	1								
4	Any other item, if any											
<b>TOTAL (B)</b>												

**\*Note:** Currently UIIC has procured 13000 CAL license. Additional CAL license if required by UIIC will be under the scope of the bidder. The bidder is required to propose these CAL license in per unit (Qty.).

C. Resources										TOTAL
S. No.	Description	Qty	Unit Rate	Year-1	Year-2	Year-3	Year-4	Year-5		
1	Project Manager at UIIC HO (L2 Engineer) (Mon-Fri, 9:00 - 18:00 hrs)	1								
2	Support Executive (L1) for HO (Mon-Fri, 9:00 - 18:00 hrs)	1								
3	Support Executive (L1) for DC (24 X 7)	2								
4	Support Executive (L1) for DR (24 X 7)	1								
5	Support Executive (L1) at HO for Active Directory (Mon-Fri, 9:00 - 18:00 hrs)	1								
<b>TOTAL (C)</b>										



D. SOC Implementation		
S. No.	Description	Total
1	PIM	
2	SIEM	
3	DDoS	
4	WAF	
5	DAM	
6	Active Directory Migration	
7	Training	
<b>TOTAL (D)</b>		

S. No.	E. Description (Rack)	UNIT PRICE	QTY	TOTAL PRICE
1.	Rack for Data Centre		1	
2.	Rack for Disaster Recovery site		1	
<b>TOTAL (E)</b>				

<b>GRAND TOTAL (A+B+C+D+E)</b>	
--------------------------------	--

**All prices quoted are exclusive of Taxes and in INR Only.**

---

## ***2. REVISED TERMS & CONDITIONS (Forming Part of Original RFP)***

---

**REVISED TERMS & CONDITIONS (Forming part of Original RFP)**

**3.2.4.6 ACTIVE DIRECTORY MIGRATION**

**Existing: (Pg. No. 29)**

All the domain controllers will be updated to the latest version (Windows Server 2016) on a new hardware.

**Revised:**

All the domain controllers will be updated to the latest version (Windows Server 2019) on a new hardware.






---

### *3. UIIC's Revised responses to pre-bid queries*

---



a). Please find below, UIC's revised responses for some of the replies with reference to corrigendum 6 (for replies to pre-bid queries)

Point/se ction	Query	UIC's existing response	UIC's revised response
Pg. 10 of corrigendum 4  3.2.4.6 ACTIVE DIRECTO RY MIGRATI ON	what is the current OS version? Would be the hardware provided by UIC? How many total users, domains, roles and Group policies to be created?	UIC to provide hardware for Active Directory. Total users, domains, roles and Group policies to be created by bidder/OEM based on requirement of UIC user.	Bidder to provide hardware for Active Directory. Total users, domains, roles and Group policies to be created by bidder/OEM based on requirement of UIC users. The hardware proposed by the bidder should support 20000 users seamlessly.  <b>UIC's current Active Directory setup</b> 1. The existing Active Directory Solution is on Microsoft Windows Server 2008 R2 2. Currently, UIC is having 13000 Client Access Licenses 3. Total No. of current AD users are 20000 out of which 15000 are designated for UIC employees user ID 4. No. of Domains – 6
Pg. 19 of corrigendum 4  3.2.4.6 (1) ACTIVE DIRECTO RY MIGRATI ON	The AD setup will be scaled up - two additional domain controllers will be installed in the primary data centers, making the overall count to 6 DCs (4 primary and 2 DR)	Total 6 DCs (4 primary and 2 DR). Currently, UIC uses Windows Server 2008 R2. <b>UIC will provide the hardware for the same.</b> Currently, AD servers are hosted on Physical Server. Server configuration will be shared with the successful bidder	Total 6 DCs (4 primary and 2 DR). Bidder to provide the hardware for the same. Currently, AD servers are hosted on Physical Server. Server configuration will be shared with the successful bidder  <b>UIC's current Active Directory setup</b> 1. The existing Active Directory Solution is on Microsoft Windows Server 2008 R2 2. Currently, UIC is having 13000 Client Access Licenses 3. Total No. of current AD users are 20000 out of which 15000 are designated for UIC employees user ID 4. No. of Domains – 6

---

## *4. Extension of Bid Submission Date*

---



**REQUEST FOR PROPOSAL (RFP) FOR SUPPLY, INSTALLATION,  
IMPLEMENTATION, INTEGRATION, MAINTENANCE AND SUPPORT OF  
SECURITY SYSTEM (RFP No. 000100/HO IT/RFP/138/2020-21)**

**Extension of bid submission date**

This is further to our tender reference no. 000100/HO IT/RFP/138/2020-21 dated 13.08.2020 issued for procurement of 'Captive Security Operations Center and Dedicated SIEM tool'.

The last date of bid submission is extended to **07.12.2020 (03:00 PM)**